




2H BIOdek® CROSS-FLUTED FILLS

For Biological Processes in Water and Waste Water Treatment



2H BIOdek® cross-fluted fills are designed for high efficiency and for meeting high effluent standards. Adjusted to the application, a variety of flute sizes between 8 and 38 mm provides sufficient space for biofilm growth. For nitrification and other applications with thin biofilms a high specific surface enables the construction of compact plants.

Freely selectable sheet thicknesses allow the production of 2H BIOdek® fills which bear any weight load occurring in sewage treatment and which achieve any design life. 2H BIOdek® is resistant against rot, fungi and most chemicals. UV protection additives are part of the compounds.

With our unique welding process fills can be assembled anywhere in the world environmentally friendly, safe and avoiding the use of solvents.

Features of our 2H BIOdek® Cross-Fluted Fills

- · Optimum structures in terms of process engineering
- Premium quality materials for high quality requirements
- · Easy and reliable on-site welding technology
- · Freely selectable foil thickness for high bearing loads
- No memory effect
- Environmental friendly, impact and age resistant PP (PVC optional)

2H BIOdek® cross-fluted fills achieve best effluent values of biological sewage plants. Our customers profit from our experience gained by equipping hundreds of water treatment plants. We will be happy to support you in designing highly efficient and energy saving trickling filters or submerged bed reactors.

Technical Data							
	PP	PVC					
Void ratio	> 97 %						
Maximum length	2400 mm						
Maximum width	600 mm						
Standard height	305 or 610 mm						
Continuous operating temperature	70 °C	55 °C					

2H BIOdek® KFP 319

Maximum tolerances:

On all dimensions +/- 20 mm or 2 % whichever is the greater. Other tolerances and dimensions by prior agreement.

Туреѕ									
Application			Туре	Material	Spec. surface area	Channel	Corrugation height		
Trickling Filters	Submerged Fixed Bed				m ² /m ³	inclination	mm		
BOD₅-reduction									
For any organic peak load, unless vertical flow fills are preferred.	For BOD-removal of any load, unless vertical flow fills are preferred.		KFP 338/638	PP	- 70	60°	38		
			KFC 338/638	PVC					
For partly BOD-removal or if effluent load up to 50 mg/l is allowed.	up to Only as distribution layer above the support system.		KFP 327/627	PP	125	60°	27		
Volume load can be up to 2,5 kg BOD/m ³ .			KFC 327/627	PVC					
For all BOD effluent standards.	For BOD-removal by rotating biological contactor.	ng Million	KFP 319/619	PP	150	60°	19		
BOD-load <1 kg/m³d			KFC 319/619	PVC					
Nitrification									
For all BOD effluent standards.	Downstream nitrifi- cation, without regular		KFP 319/619	PP	- 150	60°	19		
BOD-load <0,5 kg/m ³ d	air flushing.		KFC 319/619	PVC					
Downstream nitrifi- cation with low residual BOD-load.	Downstream nitrification.	N/E	KFP 315/615	PP	190	60°	15		
Downstream nitrifi- cation after complete BOD-removal.	Downstream nitrification.		KPP 312/612	PP	232	75°	12		
Downstream nitrifi- cation after complete BOD-removal.	Downstream nitrification.		KZP 312/612	PP	240	60°	12		
			KZC 312/612	PVC					
For applications without BOD-load.	For applications without BOD-load.		KFP 158	PP	320	45°	8		

This information has been put together with greatest care. However, any performance data given in this leaflet is subject to compliance with certain surrounding conditions and hence may vary from case to case. Further, we reserve the right to make changes at any time without notice. We strongly recommend (i) reconfirmation with us whether this information is still fully valid, before using it for final designs and (ii) to verify performance data taking into account the actual surrounding conditions. We do not take any responsibility for any consequences due to non-compliance with these recommendations.

Trickling Filters Australia Level 4, 127 Creek Street Brisbane, QLD 4000 Ph 07 3211 9997 www.tricklingfilters.com.au





